Application No. 10/006,369

Amendments to the Claims:

The following claims will replace all prior versions of the claims in this application (in the unlikely event that no claims follow herein, the previously pending claims will remain):

Claims 1-22. (Previously cancelled).

- 23. (Previously added) A solid imaging apparatus, said apparatus including:
 - (i) a vessel containing a photoformable composition;
 - (ii) a movable platform disposed within said vessel;
 - (iii) a sub-assembly comprising a movable dispenser, said movable dispenser defining an opening;

wherein said sub-assembly is adapted to both receive and deposit part of said photoformable composition through said opening.

- 24. (Previously added) The apparatus of claim 23, wherein said opening is a downwardly facing elongated slot.
- 25. (Previously added) The apparatus of claim 23, wherein said movable dispenser is adapted to deposit part of said photoformable composition above said platform.
- 26. (Previously added) The apparatus of claim 23, wherein said apparatus further comprises a radiation source capable of curing said photoformable composition.
- 27. (Previously added) The apparatus of claim 23, wherein said dispenser comprises a pair of plates that hold the lifted composition therebetween.
- 28. (Currently amended) The coating station apparatus of claim 23, wherein said dispenser includes a holding mechanism that holds the lifted composition above the surface of said photoformable composition in the vessel.

Application No. 10/006,369 Page 3

- 29. (Currently amended) The ecetting station apparatus of claim 23, wherein the dispenser includes a blade with an edge positioned at the surface of said photoformable composition in the vessel.
- 30. (Currently amended) The eouting station apparatus of claim 23, wherein said dispenser includes a blade with a holding mechanism that holds lifted composition against a surface of the blade.
- 31. (Currently amended) The soating station apparatus of claim 23, wherein the dispenser includes a pair of plates that form a holding chamber therebetween, wherein a portion of the composition is retained within the chamber while another portion of the composition is allowed to flow from the chamber by force of gravity.

Claims 32-51. (Cancelled herewith).

- 52. (Currently added) A solid imaging system comprising:
 - (a) said apparatus including
 - (i) a vessel for containing said photoformable composition;
 - (ii) a movable platform disposed within said vessel;
 - (iii) a sub-assembly comprising a movable dispenser, said movable dispenser defining an opening;

wherein said sub-assembly is adapted to both receive and deposit part of said photoformable composition through said opening; and

- (b) a photoformable composition including free radical polymerizable material.
- 53. (Currently added) The system of claim 52, wherein said opening is a downwardly facing elongated slot.

- 54. (Currently added) The system of claim 52, wherein said movable dispenser is adapted to deposit part of said photoformable composition above said platform.
- 55. (Currently added) The system of claim 52, wherein said apparatus further comprises a radiation source capable of curing said photoformable composition.
- 56. (Currently added) The system of claim 52, wherein said dispenser comprises a pair of plates that hold the lifted composition therebetween.
- 57. (Currently added) The system of claim 52, wherein said dispenser includes a holding mechanism that holds the lifted composition above the surface of said photoformable composition in the vessel.
- 58. (Currently added) The system of claim 52, wherein the dispenser includes a blade with an edge positioned at the surface of said photoformable composition in the vessel.
- 59. (Currently added) The system of claim 52, wherein said dispenser includes a blade with a holding mechanism that holds lifted composition against a surface of the blade.
- 60. (Currently added) The system of claim 52, wherein the dispenser includes a pair of plates that form a holding chamber therebetween, wherein a portion of the composition is retained within the chamber while another portion of the composition is allowed to flow from the chamber by force of gravity.
- 61. (Currently added) The system of claim 52, wherein said composition further comprises cationically polymerizable material.

4

Application No. 10/006,369 Page 5

- 62. (Currently added) The system of claim 52, wherein said free radical polymerizable material includes ethoxylated trimethylolpropane triacrylate.
- 63. (Currently added) The system of claim 61, wherein said free radical polymerizable material includes ethoxylated trimethylolpropane triacrylate.
- 64. (Currently added) The system of claim 52, wherein said composition comprises thermally coalescible polymeric cohesive material.